

## MULCHER *Mod. EFX/DT*

Heavy-duty forestry shredder with double transmission, equipped with tungsten-carbide fixed hammers on the shredding rotor, to fit tractors from 140 to 200 HP. It is the ideal machine for shredding wild vegetation, scrub, heavy bushes, plants, wooden branches, trunks and tree-stumps **up to 16" to 40 cm diameter**; to clear undergrowth, under power lines, beside railways, for the maintenance of green areas, cutting fire-breaks, for clearing abandoned areas and alike.



### Standard equipment:

- Fixed three point linkage;
- Double chassis complete;
- 1" 3/4 Z6 input shaft in the gearbox;
- Counter-blades;
- Hydraulic adjusting of rear hood;
- Fixed hammers with inserts of tungsten carbide;
- Rotor of 500 mm Ø;
- PTO 1000 rpm;
- Accident prevention protections, according to EC directives;

### Accessories on request:

Protecting Arch with mechanical adjusting .....  
 Free wheel in the gearbox (only with machine rear mounted).....  
 Centrifugal clutch for start-up, exclusive design by Berti .....  
 Drive Shaft P600 Power 1" 3/4 Z6 + 1" 3/4 Z20, with torque-clutch ..  
 Drive Shaft P600 Power 1" 3/4 Z6 + 1" 3/8 Z21, with torque-clutch ...  
 Drive Shaft P600 Power 1" 3/4 Z6 + 1" 3/8 Z6, with torque-clutch ...

### Technical Data

MODEL	Work.Width cm (in)	Total Width cm (in)	Hammers No.	Total Depth* cm (in)	V-Belts No.	Tractor HP	Weight (Kg.)	PTO
EFX/DT 200	200 (79")	233 (91")	48	140 (55")	5+5	140 – 200	1940	1000
EFX/DT 220	220 (87")	253 (100")	54	140 (55")	5+5	150 – 200	2050	1000
EFX/DT 250	250 (98")	283 (111")	60	140 (55")	5+5	150 – 200	2180	1000





