



PULVI-MULCHER



PULVI-MULCHER 12' À 19'

PULVI-MULCHER - M



PULVI-MULCHER 21'

PULVI-MULCHER 30'







PULVI-MULCHERS

88" PULVI-MULCHER

The 88" Pulvi-Mulcher has the basic features of the larger "M" series in the Brillion line. It uses single transport wheels. Rear scrapers and drawbar jack are standard. Machine is raised and lowered by a 3" x 8" hydraulic cylinder (not furnished). Two rows of spring teeth manually operated with depth control lever. Rolling width is 7'4". Overall width is 7'10". **Tires not included.**

Model	Type Teeth	No. & Type Rollers		No. of Teeth	Approx. Weight
		Front	Rear		
WITH CONVENTIONAL "C" OR RIBBON TEETH					
M-881		21N	22N	13	2650 lbs.
MC-881	"C"	14C	22N	13	2770 lbs.
MCC-881	Type	14C	15C	13	2695 lbs.
WITH S-TINE TEETH - POINTS NOT INCLUDED — ORDER FROM OPTIONS					
MS-881		21N	22N	13	2690 lbs.
MCS-881	"S"	14C	22N	13	2760 lbs.
MCCS-881	Tines	14C	15C	13	2670 lbs.

N = Notched Rollers C = Crowfoot Rollers

OPTIONAL EQUIPMENT

Part Number	Description	Weight
4J-637	Travel Link	33 lbs.
4J-635	Land Leveler Kit	57 lbs.
4D-387	Replaceable tooth points (Bundle of 12)	21 lbs.
4J-625	Front Scraper Kit for notched rollers	54 lbs.
4J-668	Front Scraper Kit for Crowfoot Rollers	53 lbs.
2J-149	1-3/8" Heavy Duty Reversible S-Tine Point with Attaching Hardware	1 lb.
2J-150	2-3/4" Shovel with attaching hardware for S-tines	1 lb.
1K-622	Safety Chain Kit	9 lbs.



"M" MODEL

Single
Transport
Wheels

PULVI-MULCHERS

Manually operated tooth control. Rear scrapers are standard on notched rollers.

Safety lights and drawbar jack are standard equipment. Requires a 3" x 8" hydraulic cylinder. **Hydraulic cylinder and tires not included.**

Model No.	Front Roller	Rear Roller	Rolling Width	Overall Width	No. of Teeth	Approx. Weight	Opt. Front Scrapers	Opt. Land Leveler Kits
WITH CONVENTIONAL "C" OR RIBBON TEETH								
M-1241	N	N			19	3963 lbs.	5D-744	7C-189
MC-1241	C	N	10'4"	11'	19	3618 lbs.	6D-991	Fits all
MCC-1241	C	C			19	3558 lbs.	6D-991	10'4"
WITH S-TINE TEETH - POINTS NOT INCLUDED. ORDER FROM OPTIONS								
MS-1241	N	N			19	3844 lbs.		
MCS-1241	C	N	10'4"	11'	19	3799 lbs.		
MCCS-1241	C	C			19	3539 lbs.		
N = Notched Rollers C = Crowfoot Rollers								
OPTIONAL EQUIPMENT								
7C-189	Land Leveler Kit for all 10'4" M, MD, MDS Pulvi-Mulchers							67 lbs.
4D-184	Travel Link for all M & MD Pulvi Mulchers (except 88" model)							25 lbs.
4D-387	Reversible Replacement C-Tooth point — Bundle of 12							21 lbs.
2J-149	1-3/8" Heavy Duty Reversible S-Tine Point with Attaching Hardware							1 lb.
2J-150	2-3/4" Shovel with attaching hardware for S-lines							1 lb.

**"MD"
MODEL**

**Dual
Transport
Wheels**

PULVI-MULCHERS

Manually operated tooth control. Rear scrapers are standard on regular rollers. Safety lights and drawbar jack are standard equipment. Requires a 3 1/2" x 8" hydraulic cylinder. **Hydraulic cylinder and tires not included.**

Model No.	Front Roller	Rear Roller	Rolling Width	Overall Width	No. of Teeth	Approx. Weight	Opt. Front Scrapers	Opt. Land Leveler Kits
WITH CONVENTIONAL "C" OR RIBBON TEETH								
MD-1481	N	N			23	4778 lbs.	5D-192	9D-25
MDC-1481	C	N	12'4"	13'	23	4623 lbs.	5D-817	Fits all
MDCC-1481	C	C			23	4348 lbs.	5D-817	12'4"
MD-1641	N	N			27	5213 lbs.	5D-191	9D-24
MDC-1641	C	N	13'8"	14'4"	27	4986 lbs.	5D-818	Fits all
MDCC-1641	C	C			27	4628 lbs.	5D-818	13'8"
N = Notched Rollers C = Crowfoot Rollers No hydraulic cylinders included.								
1J-887 10 MM WITH S-TINE TEETH - POINTS NOT INCLUDED. ORDER FROM OPTIONS BELOW								
MDS-1481	N	N			23	4755 lbs.		
MDCS-1481	C	N	12'4"	13'	23	4600 lbs.		
MDCCS-1481	C	C			23	4325 lbs.		
MDS-1641	N	N			27	5186 lbs.		
MDCS-1641	C	N	13'8"	14'4"	27	4961 lbs.		
MDCCS-1641	C	C			27	4605 lbs.		

OPTIONS FOR M, MD & MDS PULVI-MULCHERS

Part No.	Description	Weight
1J-15	Rear Scraper Kit for MDCC-180	150 lbs.
7C-189	Land Leveler Kit for all 10'4" M, MD, MDS Pulvi-Mulchers	67 lbs.
9D-25	Land Leveler Kit for all 12'4" M, MD, MDS Pulvi-Mulchers	80 lbs.
9D-24	Land Leveler Kit for all 13'8" M, MD, MDS Pulvi-Mulchers	86 lbs.
4D-184	Travel Link for all M & MD Pulvi Mulchers (except 88" model)	25 lbs.
4D-387	Reversible Replacement Spring Tooth point — Bundle of 12	21 lbs.
2J-149	1-3/8" Heavy Duty Reversible Spring Tine Point with Attaching Hardware	1 lb.
2J-150	2-3/4" Shovel with attaching hardware for spring tines	1 lb.
	S-Tine for 88" Mulchers	100 lbs.
	S-Tine for 124" Mulchers	145 lbs.
	S-Tine for 148" Mulchers	175 lbs.
	S-Tine for 164" Mulchers	205 lbs.
	S-Tine for 180" Mulchers	225 lbs.
8J-823	One (1) S-Tine with plates and bolts	7.7 lbs.
1K-822	Safety Chain Kit	9 lbs.
2K-092	3 1/2" x 8" Hydraulic Cylinder	33 lbs.
4J-832	Hydraulic Hose 136" long (requires 2)	6 lbs.

FOR "M" SERIES

{ For use with lines on MS, MDS models
For field conversion of ribbon teeth to "S" tines. Kits DO NOT include points or shovels.
Order optional 2J-149 or 2J-150 .

"ML" MODEL PULVI-MULCHERS

12'6", 13'10", 15'2" and 18'9"



This series of Pulvi-Mulchers is designed with a spread out frame design that permits good trash flow. It features 20" Ductile notched or Ductile crowfoot rollers, 1 1/2" heavy duty bearings on the roller axles, and heavy duty drawbar. The machine may be equipped with "C" shaped spring teeth or "S" tine teeth. Drawbar jack, 3 1/2 x 16" cylinder, pressure relief valve, and hydraulic hoses up to hitch point are included. Rear scrapers are standard equipment with notched rollers. Includes Warning Light Kit. **Tires not included.**

ML MODELS WITH 20" DUCTILE ROLLER WHEELS (WHICH CARRIES A 5-YEAR LIMITED WARRANTY)

Model No.	Front Roller	Rear Roller	Rolling Width	Overall Width	No. of Teeth	Approx. Weight
WITH CONVENTIONAL "C" OR RIBBON TEETH						
ML-1483	L	L	12'6"	13'6"	23	5258 lbs.
ML-1643	L	L	13'10"	14'5"	27	5588 lbs.
ML-1803	L	L	15'2"	15'9"	29	5907 lbs.
ML-2253	L	L	18'9"	19'6"	35	7069 lbs.
MCL-1483	C	L	12'6"	13'6"	23	5216 lbs.
MCL-1643	C	L	13'10"	14'5"	27	5598 lbs.
MCL-1803	C	L	15'2"	15'9"	29	5882 lbs.
MCL-2253	C	L	18'9"	19'6"	35	7006 lbs.
MLC-1483	L	C	12'6"	13'6"	23	5119 lbs.
MLC-1643	L	C	13'10"	14'5"	27	5411 lbs.
MLC-1803	L	C	15'2"	15'9"	29	5728 lbs.
MLC-2253	L	C	18'9"	19'6"	35	6856 lbs.
MCC-1483	C	C	12'6"	13'6"	23	5077 lbs.
MCC-1643	C	C	13'10"	14'5"	27	5340 lbs.
MCC-1803	C	C	15'2"	15'9"	29	5703 lbs.
MCC-2253	C	C	18'9"	19'6"	35	6792 lbs.

WITH 12MM S-TINE TEETH — POINTS NOT INCLUDED, ORDER FROM OPTIONS BELOW

MLS-1483	L	L	12'6"	13'6"	23	5148 lbs.
MLS-1643	L	L	13'10"	14'5"	27	5459 lbs.
MLS-1803	L	L	15'2"	15'9"	29	5769 lbs.
MLS-2253	L	L	18'9"	19'6"	35	6903 lbs.
MCLS-1483	C	L	12'6"	13'6"	23	5106 lbs.
MCLS-1643	C	L	13'10"	14'5"	27	5388 lbs.
MCLS-1803	C	L	15'2"	15'9"	29	5744 lbs.
MCLS-2253	C	L	18'9"	19'6"	35	6840 lbs.
MLCS-1483	L	C	12'6"	13'6"	23	5009 lbs.
MLCS-1643	L	C	13'10"	14'5"	27	5282 lbs.
MLCS-1803	L	C	15'2"	15'9"	29	5590 lbs.
MLCS-2253	L	C	18'9"	19'6"	35	6690 lbs.
MCCS-1483	C	C	12'6"	13'6"	23	4967 lbs.
MCCS-1643	C	C	13'10"	14'5"	27	5211 lbs.
MCCS-1803	C	C	15'2"	15'9"	29	5565 lbs.
MCCS-2253	C	C	18'9"	19'6"	35	6626 lbs.

Wheel Design: L = 20" Ductile Iron Notched Rollers; C = 20" Ductile Crowfoot Rollers

OPTIONAL EQUIPMENT FOR ML AND MLS PULVI-MULCHERS

Part No.	Description	Approx. Weight	Part No.	Description	Approx. Weight
*2J-149	1-3/8" Rev. Point w/Attaching Hdwe.	1 lbs.	3K-690	V-Leveler for ML-2253	240 lbs.
*2J-150	2-3/4" Shovel w/Attaching Hdwe.	1 lbs.	3K-691	V-Leveler for ML-1643/1803	221 lbs.
1K-83	Front Scraper Kit for ML-1483	108 lbs.	3K-692	V-Leveler for ML-1483	196 lbs.
1K-84	Front Scraper Kit for ML-1643	118 lbs.	6J-127	Rear Hitch	74 lbs.
1K-85	Front Scraper Kit for ML-1803	129 lbs.	1K-822	Safety Chain Kit	9 lbs.
1K-974	Front Scraper Kit for ML-2253	159 lbs.	9J-221	Independent Tooth Control for Use w/C-Tines (Less Jack or cyl)	34 lbs.
6J-141	Land Leveler for ML-1483	105 lbs.	9J-222	Independent Tooth Control for Use w/S-Tines (Less Jack or cyl)	32 lbs.
6J-140	Land Leveler for ML-1643	127 lbs.	3J-603	3" x 8" Hydraulic Cylinder	41 lbs.
6J-139	Land Leveler for ML-1803	134 lbs.	1K-981	Hydraulic hose 258" long-requires 2	9 lbs.
1K-973	Land Leveler for ML 2253	169 lbs.			

* For use with S-Tines

WL SERIES FLAT FOLD-HYDRAULIC WING 21'8" AND 25' PULVI-MULCHERS



Featuring the 20" Ductile Iron Wheel which carries a 5-year limited warranty against breakage. This wing model Pulvi-Mulcher features the 20" Ductile Iron Notched or Ductile Iron Crowfoot wheels, 1 1/2" heavy duty bearings, and heavy duty drawbar. Wings fold flat and give the machine a transport width of 13'11". Hydraulic cylinders, relief valve, hydraulic hoses to hitch point included. Rear scrapers are standard equipment with notched wheels. Safety warning lights are standard. **Tires**

not included.

21'8" APPROX. WORKING WIDTH — 13'11" TRANSPORT WIDTH

WITH CONVENTIONAL "C" TEETH

Model	Wheel Design		Tooth Style	No. of Teeth	Approx. Weight
	Front	Rear			
WL-2603	L	L	C	41	9031 lbs.
WCL-2603	C	L	C	41	9528 lbs.
WLC-2603	L	C	C	41	9343 lbs.
WCC-2603	C	C	C	41	9240 lbs.

WITH 12 MM S-TINE TEETH — POINTS NOT INCLUDED — ORDER FROM OPTIONS

Model	Wheel Design		Tooth Style	No. of Teeth	Approx. Weight
	Front	Rear			
WLS-2603	L	L	ST	41	9442 lbs.
WCLS-2603	C	L	ST	41	9339 lbs.
WLCS-2603	L	C	ST	41	9154 lbs.
WCCS-2603	C	C	ST	41	9051 lbs.

Wheel Design: L = 20" Ductile Notched; C = 20" Ductile Crowfoot ; Tooth Style: C= "C" or Regular; ST = 12 mm Spring Tine

25' APPROX. WORKING WIDTH — 13'11" TRANSPORT WIDTH

WITH CONVENTIONAL "C" TEETH

Model	Wheel Design		Tooth Style	No. of Teeth	Approx. Weight
	Front	Rear			
WL-3003	L	L	C	47	10,063 lbs.
WCL-3003	C	L	C	47	10,001 lbs.
WLC-3003	L	C	C	47	9,791 lbs.
WCC-3003	C	C	C	47	9,729 lbs.

WITH 12 MM S-TINE TEETH — POINTS NOT INCLUDED — ORDER FROM OPTIONS

Model	Wheel Design		Tooth Style	No. of Teeth	Approx. Weight	Sugg. Weight
	Front	Rear				
WLS-3003	L	L	ST	47	9874 lbs.	
*WLS-30031	L	L	ST	47	9751 lbs.	
WCLS-3003	C	L	ST	47	9812 lbs.	
WLCS-3003	L	C	ST	47	9602 lbs.	
WCCS-3003	C	C	ST	47	9540 lbs.	

OPTIONS FOR 21'8" AND 25' PULVI-MULCHERS

Part No.	Description	Approx. Weight
1K-86	Front Scraper for WL-2603	196 lbs.
8J-702	Land Levelers for 21'8" models	204 lbs.
1K-87	Front Scrapers for WL-3003	222 lbs.
8J-703	Land Leveler for 25' models	215 lbs.
9J-237	Independent Tooth Control For Use w/S-Tines	{ Jacks or Cylinders needed to complete Kit. (Not included) }
9J-236	Independent Tooth Control For Use w/C-Tines	
9J-230	Ratchet Jack Kit (Used with 9J-237 or 9J-236 Kits)	51 lbs.
3K-638	Cylinder and Hose Kit (Used with 9J-237 or 9J-236 Kits)	160 lbs.
9J-255	Hydraulic Conversion Kit (For Independent Wing Control)	16 lbs.
8J-709	Rear hitch for 21'8" and 25' models	74 lbs.
2J-149	1-3/8" Spring Tine Point with attaching hardware	{ For use with S-Tines }
2J-150	2-3/4" Shovel with attaching hardware	
1K-789	Safety Chain Kit	15 lbs.
3K-897	Auxiliary Cylinder Kit - before serial number 179648	59 lbs.
4K-789	Auxiliary Cylinder Kit - after October 1, 1997	60 lbs.

**WL-360, 30 FOOT
PULVI-MULCHERS
FLAT FOLD - HYDRAULIC WING**



This wing Pulvi-Mulcher features the 20" ductile iron rollers (which carry a 5-year limited warranty), and 1-1/2" heavy-duty bearings on the roller axles. The wings fold flat and give the machine a transport width of 16'9". Overall width (with wings down) is 30'10". Rolling width is 30', overall length is 19'10". Overall height in transport is 6'4", road clearance is 10". This machine may be equipped with "C" shaped spring teeth or "S" tine teeth. Rear scrapers, drawbar jack, cylinders and hoses are included. Requires two hydraulic systems on tractor. Recommended minimum of 200 H.P. Includes Warning Light Kit. **Tires not included.**

WITH CONVENTIONAL "C" TEETH

Model	Wheel Design		Tooth Style	No. of Teeth	Approx. Weight
	Front	Rear			
WL-360	L	L	C	59	13,460 lbs.
*WL-360I	L	L	C	59	13,337 lbs.
WCL-360	C	L	C	59	13,516 lbs.
WLC-360	L	C	C	59	13,268 lbs.
WCC-360	C	C	C	59	13,344 lbs.

WITH 12 MM S-TINE TEETH — POINTS NOT INCLUDED — ORDER FROM OPTIONS

Model	Wheel Design		Tooth Style	No. of Teeth	Approx. Weight
	Front	Rear			
WLS-360	L	L	ST	59	13,460 lbs.
*WLS-360I	L	L	ST	59	13,337 lbs.
WCLS-360	C	L	ST	59	13,516 lbs.
WLCS-360	L	C	ST	59	13,268 lbs.
WCCS-360	C	C	ST	59	13,344 lbs.

*Working Depth of Teeth are Controlled Manually with Ratchet Jacks Instead of Hydraulic Cylinders.

Wheel Design: L = 20" Ductile Notched; C = 20" Ductile Crowfoot

OPTIONAL EQUIPMENT

Part No.	Description	Approx. Weight
1K-789	Safety Chain Kit	15 lbs.
9J-614	Land Leveler Kit	383 lbs.
9J-619	Front Scraper Kit	273 lbs.
9J-545	Rear Hitch Kit	161 lbs.
2J-149	1-3/8" Reversible Point with Attaching Hardware	1 lb.
2J-150	2-3/4" Shovel with Attaching Hardware	1 lb.
3K-028	S-Tine Shank, Clamp, Hardware	9 lbs.