

Brillion

S-Tine Basket Harrow



BRILLION'S ENGINEERING INGENUITY MAKES SEEDBED CONDITIONING EASIER AND FASTER THAN EVER.

Brillion's dedication to dependability and unsurpassed quality is apparent in each and every one of our primary and secondary tillage tools. This seedbed preparation tool is no exception.

Brillion's new S-Tine Basket Harrow is a secondary tillage tool designed to handle increased residue because of the high underframe clearance and wider 19 inch spacing between ranks.

Four rows of S-Tine shanks with 2-3/4 inch shovels penetrate and shatter the soil for better soil mixing and more uniform blending of chemicals in the soil. S-Tine shanks can be spaced 4 or 6 inches apart to


most efficiently handle soil and trash conditions.

The coil tine drag is hung independent of the basket to smooth out irregular terrain and provide easy, even trash flow.

A large 12 inch diameter roller basket does a superior job of crumbling and firming the soil. The result is an ultra-smooth seedbed, leveled, without ridges, with the finer soil deposited in the planting zone for better seed/soil contact. Heavier particles are placed on top to reduce air pockets and trap moisture.



BRILLION S-TINE BASKET HARROW STANDARD FEATURES



127" OVERALL LENGTH WITH BASKET.
75" FRAME DEPTH WITHOUT DRAG AND BASKET.

TINE SPACING 4" OR 6".



Brillion Iron Works. Inc.
 Brillion, WI 54110
 Phone No. (414) 756-2121*
 Fax No. (414) 756-3409* *Area Code changes to 920 as of July 26, 1997

MODEL	WORKING WIDTH	TRANSPORT WIDTH	NO. OF SHANKS	WEIGHT (APPROX.)
CMDB12	12'	12' 2"	23	1366#
CMDB15	15'	15' 2"	29	1863#
CMDB18	18'	18' 2"	35	2074#

ACCESSORIES: 2K635 Gauge Wheels (20.5 x 8-10 Tires) Weight 142#.

Available less drag and basket.