



Narrow window of opportunity... no problem.


A typical planting season provides a narrow window of seeding opportunity. The Great Plains folding no-till drill enables you to cover hundreds, even thousands of acres in a hurry. Seed up to 30' wide in your toughest no-till conditions with the assurance of precision seed placement. Our field-proven 10 series opener is designed from no-till experience and will provide high-yielding crops season after season.

When you're finished with a field simply fold-up and transport without leaving the tractor seat.



Working in heavy residue? We've incorporated maximum opener stagger for unprecedented trash-clearing capability. When conditions are muddy,

oversized, high-flotation duals on the center frame and dual gauge wheels on the wings keep you seeding while others are waiting to get into the field.



Our two-section no-till drills are the fastest fold-for-transport in no-till — and you never leave the tractor seat. Our cab-mounted electro-hydraulic control console makes folding for transport an easy and efficient task. Forget all of the cumbersome hitches, traditional transport manipulations or dealing with ganged units. Great Plains offers the kind of time-saving efficiencies a busy farmer like you really needs.



With our electro-hydraulic transport simply fold up from the tractor seat, and you're on your way to the next field ... even fully loaded.



The exclusive Great Plains fluted seed cup delivers outstanding accuracy. Whether the seed you're drilling is small, large, or fragile, our time-proven metering system will deliver the rate you choose, evenly and gently. The seed cup design maintains precise delivery in fast or slow drilling conditions.



V-bottom seed boxes are designed for even and complete seed box cleanout.




Refer to pages 2-3 of this catalog for information on our proven no-till seed placement system.



Large capacity seed boxes hold over two bushels per foot. Sturdy steel walkboards and step make seed box filling quick and convenient.



Make seed rate changes easily with the speed-change gearbox. Simple and reliable jaw clutch design disengages drive as machine is lifted for field turns.




12- and 24-flute blades
made of long-wearing
chrome-boron alloy



High-visibility seed level
indicator allows easy
viewing from the cab.

450 pounds of
preloaded down pressure



Spring steel
mounting bar

Heavy-duty
cast iron hubs

Replaceable
hardened steel
bushing in
pivot

Double lip hub
seal

Tapered roller
bearings

Large acreage no-till with the convenience of a folding drill.



Great Plains is known
for dependable folding
drills. With our folding
no-till, simply fold for
transport without
leaving the tractor seat.



Refer to pages 44-45 of this catalog
for information on coulters, press
wheels and additional options.

2N2410 & 2N3010 FOLDING NO-TILL Specifications

MODEL	2N2410 24'(7.31m)	2N3010 30'(9.14m)
SPACING/NUMBER OF OPENERS		
7.5'(19.05cm)	38	48
8'(20.32cm)	36	44
10'(25.40cm)	28	36
EMPTY DRILL WEIGHT	17,400lb. (7,909kg.)	20,200lb. (9,181kg.)
<i>*note* Based on 7.5' spacing.</i>		
BOX LENGTH	24'(7.31m)	30'(9.14m)
TRANSPORT WIDTH	17'1"(5.20m)	17'1"(5.20m)
DRILL LENGTH	24'(7.31m)	30'(9.14m)
GRAIN BOX CAPACITY	48 bu.	60.6bu.
SMALL SEEDS		
BOX CAPACITY	5.76bu.	7.20bu.
OPTIONAL WEIGHT	1200lb.(545kg.)	1200lb.(545kg.)
BRACKET (max. capacity)		
COMMON SPECIFICATIONS		
TIRE SIZE	4 - 12.5' X 15' (31.75 X 63.5cm) 4 - 11' X 15' / (27.94 X 45.60cm)	
TRANSPORT HEIGHT	8'4" (2.54m)	
TRANSPORT CLEARANCE	1'5" (43.18cm)	
OPENER TRAVEL	11 1/2" (29.21cm)	
COULTER DEPTH	0 TO 6" (15.24cm)	
OPENER DEPTH RANGE	0 TO 3 1/2" (8.89 cm)	
<i>*note* Based on vertical movement of presswheel.</i>		
COULTER DOWN PRESSURE	450lb.(203kg.) to 1175lb.(532kg.)	
OPENER DOWN PRESSURE	103lb.(47kg.) to 134lb.(61kg.)	
AUTOMATIC CLUTCH	standard (disengages when drill is raised)	
LIDS:	1 lid seed only 1 lid small seeds	
OPTIONAL EQUIPMENT		
Coil tine harrow		
Main seed box agitator		
Heavy-duty low profile flat fold marker		
Small seeds attachment		
Main seed box population monitor		
Main seed box drive monitor		
Point Row clutches		
Seed cup plugs		
Air design spring loaded scrapers		
Aux. Tire flotation package		
Coulters choices		
Presswheel choices		
Seed-Lok™		
Weight bracket		
Trash suppressor kit		