



# Seeders

Overseeders - Primary Seeders  
Food Plot Seeder - All-Purpose Seeders



## SEEDERS INDEX

All-Purpose Seeders	7
Food Plot Seeder	6
OS15 Series Overseeders	8
PS15 Series Primary Seeders	3
PS20 & PSN20 Series Primary Seeders	4
PS25 Series Primary Seeder	5
Seeder Specifications	10

Land Pride Quick-Hitch Systems, available in a Cat. 1 and Cat. 2 Tractor 3-Point Hitch or Cat. 1 or 2 non-PTO Skid Steer Hitch, fit most Land Pride products and are a real time saver when working on multiple projects. Look for the Quick-Hitch System logo to denote applicable products.



**Quick Hitch**  
SYSTEM

## Solid Stand Primary Seeders from Land Pride.

Land Pride has learned from the best when it comes to seeding! We use seeding techniques that have been developed by our company for over 25 years.

Regardless if you are seeding your own crops or you are a landscaper for hire, you want the job done right, with results that make you feel good. With Land Pride's line of Solid Stand Seeders, you're assured of getting the job done with exceptional results.

Our 15 Series Primary Seeders are the perfect size for the hometown landscaper. Sized to do the areas between the curb and the sidewalk or the new community park, these seeders lay the seed down gently in a nice full width pattern for consistent germination.

The primary seeder line uses many of the same great features throughout the line regardless of size. Our proven seed cups, that meter just the right amount of seed, have earned the confidence of many around the world.

Our 20 Series Primary Seeders have the capability of planting almost any type of seed. Use the PSN model for wildflowers and native grasses, and the PS model for landscaping, turf farms and agricultural seeding.

Our 25 Series Primary Seeders are built to last a lifetime! The all-welded seedbox is available in two sizes, and either is just right for sod farms, brome pastures and highway re-seeding.

Look at our complete line of Primary Seeders and their features and you'll see why we're looked upon as the experts!

### Which Primary Seeder is right for you ?

COMPLETE SERIES

**15**  
SERIES  
6' Cat. 1

**20**  
SERIES  
8' Cat. 2  
or Pull-Type

**25**  
SERIES  
10' Cat. 2  
or Pull-Type



## Precise metering and seed-to-soil contact.

### PS15 SERIES

Available in:



Cat. 1 — 6'

- Cat. 1 Hitch, Quick-Hitch adaptable
- Lower hitch-clevises for easy hook-up
- 72" Seeding width
- #40 Chain with spring loaded idler
- Powder metal flutes in the seed cups help dissipate heat
- Tire track removers for consistent seed emergence across entire width
- Heavy-duty lid with seed splash guard
- Ground driven metering for constant seeding
- Water tight seedbox with agitator to eliminate seed bridging
- Wind guarded seed drop keeps seeds falling at same rate to the ground
- Lift hooks for easy loading - just right to take from site to site



"Precision seeding" is accomplished using proven fluted metering cups. Each flute grabs just the right amount of seed for even distribution. Millions of cups are in use for a variety of crops around the world.



(Cover removed for photo.)

Various seeding rates can be obtained by turning the dual sprocket over. The easy drive system assures a consistent flow of seed. The rear roller is spring loaded to stay in constant contact with the ground. The steel "bumper" protects the drive system against impacts.



The rear roller is spring loaded to keep in constant contact with the ground, promoting healthy "seed-to-soil" contact.



All welded box with seed splash guard and paddle style agitator.

# Solid advantages in seed placement.

If you are in the seeding business, Land Pride's 8' Primary Seeder offers versatility to seed just about any job you have to do. If you are a landscaper, sod grower or farmer, we can seed most types of turfgrass and crops. If you grain farm or work in highway reclamation, we can seed Alfalfa and nearly all types of Native Grasses. By utilizing smaller bushel seedboxes added to the main box, it is possible to seed three different types of seed at different rates.

www.landpride.com

## PS20 & PSN20 SERIES

Cat. 2 and 3, or Pull-type — 8'

- Cat. 2 & 3, Quick-Hitch adaptable or pull-hitch
- All-welded seedbox construction
- Water-tight lids to keep seed dry
- Large seedbox capacities
- Aggressive agitators in main box for consistent seeding rates
- Wind guarded seed drop
- Cast iron packer wheels promote seed-to-soil contact
- Spring loaded rear packer wheels
- #40 Roller chain
- 4 speed transmission for precise seed rates on PSN
- Optional small seeds box



Spring tine track removes effectively scratch out the tracks from the tractor tires.

### PSN MODEL

If the majority of your seeding is done with Native Grass or "fluffy" seeds like Big Blue Stem or Indian Grass, the main seedbox on the PSN2096 is equipped with an aggressive picker wheel feed design. An aggressive agitator also keeps seed moving towards the picker wheel to keep seeding rates consistent.



A pull-hitch is available for the 20 Series Primary Seeders. This pull-hitch has wheels incorporated into it, rather than being part of the seeder, making it more compatible with smaller tractors.



The picker wheel feed design in the Native Grass Seedbox is aggressive enough to feed fluffy, native grass blends like Big Blue Stem, Indian Grass, and Side Oats Grama. This box comes standard with an agitator to keep seed moving toward the picker wheel, and to avoid bridging.



A 4-speed gearbox and quick sprocket change is used on the PSN to change seeding rates. The large cup must remain open for the fluffy seed. This method of adjusting seed rates is to regulate the speed of the picker wheel inside the cup.

### PS MODEL

The main seedbox on the PS series is equipped with our standard fluted seed cups and agitation to seed most turf type grasses, as well as a variety of other seeds from peas to alfalfa. With the ability to hold up to 8 bushels of seed, the PS2096 model is perfect for wide open landscape seeding, turf farms and some general farming.



Fluted seed cups meter the desired amount of seed every time. Seed cups are driven off the front roller.



The simple chain drive is easily accessible and delivers a constant, consistent flow of seeds through the seed cups.

# Cover wide open spaces.

Turf farms, dairy farms, and pastures all have one thing in common. It takes expensive seed to keep them going. Our 10' seeder offers many option choices to fit the job you need. And our precise metering cup helps get the most from your seed investment.

Built rugged to take the beating of rough ground, yet sensitive enough for flat sod ground. The commitment you've made to your ground is huge. Let a Land Pride seeder play an important role in protecting your investment. Get the most out of your seed by planting it with a Land Pride seeder.



Primary seedbox is balanced between the front and rear rollers, eliminating bulldozing in light soils. The optional 4 bushel small seeds box will allow a 10%-20% rate of second seed with both boxes emptying at the same time.



Tongue can be easily removed for 3-point application.

## PS25 SERIES

Cat. 2 or Pull-type — 10' 30 Bushel

- Cat. 2 or Pull-Type with front or end-mounted wheels
- Front mounted wheels reduce width by 3'
- 10' Seeding width
- 30 Bushel capacity
- Adjustable seed openings for small or fluffy seeds
- Non-corrosive, easy to calibrate seed cups
- Seed level indicator in full view from tractor
- All welded weatherproof seedbox
- Leakproof, lockup lid
- Lift hooks for easy loading on trailers
- Transport locks guard against cylinder failure during transport (Pull-type model)
- Vacuum sealed acremeter
- Implement rib tires: 9.5L x 15" x 8 ply
- #40 Chain with adjustable idler
- Cast iron packing wheels - front and rear
- Optional 4 bushel small seeds box
- Optional tire track removers
- Optional walkboard is convenient for filling the tall 30 bushel box



The rear packers split the rows made by the front packers, increasing the number of notches that push air bubbles out and seed in.




Seed level indicator is in full view from the tractor seat.




Cast wheels and optional spacers assure excellent seed-to-soil contact.

The optional agitator attachment can be used with fluffy seeds to prevent bridging.




The optional walkboard allows for safe and spacious access to the seedboxes.

FLUFFY SEEDS  
BROADCAST



STANDARD  
BROADCAST



Adjustable seed openings to handle fluffy or small seeds.

## Affordability for game food plots.

The Plot Ranger is an ideal tool for planting food plots by the avid hunter or the ultimate animal lover. Sized right to work behind a sub-compact to compact tractor, your ATV or Utility Vehicle, or even your pick-up truck, this versatile implement has just what you need to be a successful food supplier or to provide an ideal habitat to the wild outdoors.

### FPS SERIES

Available in:



Pull-type — 48"

## plot RANGER

- Convenient multi-functional hitch
- Roller/packer raises above spreader for transport
- Electrically controlled spin spreader
- Seed deflector controls spreading width
- 16" Notched discs
- Electric transport lift available



### ROLLER PACKER

The simple design of the roller packer eliminates many parts, yet is efficient and effective in helping seed and soil make contact. The weight of the roller gently packs the dirt and helps eliminate air pockets, setting the seed on its way to successful germination! The roller packer easily folds forward and over the seed hopper, resting on the disc main frame for transport.

### SEEDING PACKAGE

Land Pride's 'seeding package' is a unique blend of products that work well by themselves, and compliment each other when used together.

- **Seed Bed Roller** – this is an excellent finishing tool with applications from roadside use to landscaping. The SBR will break up clumps and dirt clods while pressing seed into the soil for seed to soil contact.
- **Electric Spin Spreader** – our Spin Spreader is easily calculated for a host of seed types, many of which we have put into a seed calculation chart for you. Electrically turn on and off from your tractor or vehicle seat.
- **Drag Harrow** – our Drag Harrow has light, medium and aggressive applications, simply by turning the harrow in different positions. Perfect for dragging a sports field or smoothing out recently cultivated ground.



### HITCH

The easily changed dual hitch incorporates a ball hitch on one side, and a tang hitch on the other. The Plot Ranger can easily be traded amongst neighbors or rental yards, without the worry of needing to change hitches.



Seeder is available for quick mounting to your Utility Vehicle or your Disc Harrow.

### DISC GANG

The 16" notched discs, set up in an offset pattern, aggressively rip through the soil and vegetation, opening the ground for aeration and nutrients, and supplying fresh dirt to accept seed. The aggressiveness of the disc gangs is easily changed to match your desired result.

### SEED HOPPER

The durable plastic seed hopper has a tight fitting lid to keep it in place, and the elements out. The electric spinner is powered from the vehicle electrical system, and easily calibrated and operated from a control panel that is positioned with the operator. The metal deflector ring controls the seeding width to within the width of the disc gang, vs. a wider pattern like some competitive units. Why sling seed beyond your working width?

### TRANSPORT

Pneumatic transport tires are raised and lowered either electrically or manually. The electric method uses an electric actuator that is quick and operated from the same control panel as the seed hopper. If you are planting strips, it is quick and easy to raise the Plot Ranger to move over 20 yards and set it down again and take off!

Use all of these products in connection with a Land Pride Disc Harrow, and you have an excellent seeding package for a multitude of uses. This package is ideal for large grassy areas, reclamation sites, or wild game food plots.




## The perfect tool for any landscaper.

We know seeders, and our new All-Purpose Seeder is a great addition to our Primary Seeder and Overseeder group!

This 3-point turf seeder, available in 4', 5', 6' and 7', is a ground driven seeder designed with years of proven features. Designed to work ideally in a prepared seedbed and overseeding, this can be the perfect tool for any landscaper.

### APS SERIES

Available in: 

Cat. 1 — 4', 5', 6'

Cat. 1 & 2 — 7'

- All welded seedbox construction
- Watertight lid to keep seed dry
- Single lever for adjusting front rollers
- Cast or studded rear roller
- Optional roller mud scrapers



### NEW SEEDING

While seeding into a freshly prepared site, the front angling rollers help cut through the top crust, kicking up a light amount of soil, making sure the ground is soft. The seed is then dropped, and compressed by the rear roller. Establishing this initial seed to soil contact is essential in achieving a high rate of germination.

### OVERSEEDING

The All-Purpose Seeder is an ideal overseeder for several reasons. One, it is ground driven which takes some of the burden away compared to a powered overseeder; You don't have a driveline and related drivetrain components to maintain, and, two, the front rollers are adjustable to various levels of aggressiveness.

By adjusting the front two rollers, you can control how aggressive you want to be in the existing turf you are overseeding. If the existing turf is fairly sparse, go light on the angle of the rollers so some dirt is kicked up, but the existing turf is not torn up. If the existing turf is thick, the front two rollers can be set quite aggressive to work through thatch and dead grass build up, allowing the seed to drop closer to the soil.

## QUALITY LAND PRIDE FEATURES

We've incorporated many of our standard seeding features into the All-Purpose Seeder.

**Seedbox** – The all welded seedbox creates strength for the seeder. The watertight lid helps keep the elements out and your seed dry. The seedbox also has a seed splashplate to keep seed out of the hinge area of the lid. A paddle type agitator is also included in the seedbox to keep seed from bridging, and allowing an uninterrupted flow to the seed cups. At one bushel per foot, the capacity is just right for landscaping size projects.

**Seed cups** – We've been using our seed cups on seeders and grain drills for many years. This cup is the standard of the seeding industry, and you can easily see why when you look at the fluted metering device and see how it grabs the same amount of seed all of the time. This results in excellent accuracy, and money saving efficiency.



**Rollers** – The heat treated steel spikes engage the ground to keep the rollers turning, agitate the soil, aerate existing turf, promote seed to soil contact, and then the rear roller compresses the soil.

**Spring Loaded Rear Roller** – Available in a spike or cast notched configuration, the rear roller is spring loaded to ensure that the roller will stay on the ground, even in rough conditions. With the rear roller being connected directly to the seed cups, it is important that it is not interrupted so to minimize seeding skips. By being spring loaded, the possibility of skips is greatly diminished.

**Lift Hooks** – Lift Hooks are conveniently located on both sides of the seedbox to aid in lifting the seeder on and off the trailer.



# OVERSEEDERS

## Land Pride Overseeders ... proven to be the best in the industry.

Land Pride 48" and 72" Solid Stand Overseeders offer precise placement and seed-to-soil contact making them ideal to overseed existing stands of grass and establish new turf.

The three-way seed-to-soil contact system provides great germination and emergence with the solid advantages of a full width seeding pattern. Your choice of straight or curved knives slice into the ground creating slits to receive the seed. Fluted seed cups precisely meter the desired amount of seed in a broadcast pattern, delivering outstanding metering accuracy. The solid cast-iron packer wheels finish the job by pressing and firmly packing the seed into the soil, eliminating most air pockets.

Land Pride's unique solid stand seeding pattern generates beautiful stands of turf grass for renovation or new seedings. Choose from gauge wheel drive or plant close to sidewalks and obstacles with the rear roller drive.



www.landpride.com

8

### OS15 SERIES

25 - 60 HP — 48"  
30 - 60 HP — 72"

Available in:



- Cat. 1
- 0" - 1 1/2" Depth adjustment
- 2" or 3" Knife spacing
- High carbon heat treated knives last longer in sandy soils
- Adjustable #80 roller chain, fully enclosed in oil bath provides a smooth and quiet drive
- 1 Bushel per foot seedbox with paddle agitator - fill less often and prevent bridging
- 12" Cast iron packer wheels with corrugated scraper
- Lift hooks allow for easy loading & unloading from trailers
- Optional Small Seeds Attachment for seeding two types of seed simultaneously
- Optional Slit Seeder Attachment for planting cool season grass into warm for that year-round green effect

### Which Overseeder is right for you ?

SUGGESTED HORSEPOWER

**15**  
SERIES  
48" 25-60 HP

**20**  
SERIES  
72" 30-60 HP



The easy one-lever calibration sets all of the seed cups to the desired seeding rate. Seed calibration rates can be further expanded with easy drive chain configuration.





When the optional small seeds box is used, two seeds can be metered at one time. The two seeds are metered into the same seed tube for even distribution.

Clear main seed tubes are used so obstructions can easily be seen.



The gauge wheel model features 18" turf tread tires which regulate the seeding depth. The seed cups are driven off of the right hand gauge wheel, which is spring loaded to stay in contact with the ground.



A front full width roller with scraper is available, and is recommended on rear roller drive units. The front roller keeps planting depth consistent without relying solely on the tractor's 3-point. The seed cups are driven off of the rear roller, which are always in contact with the ground.



Shown with optional slit-seeder attachment.



**Choice of Knives**

(A) Straight, aggressive 3/16" thick knives prepare the soil by pulling up thatch, while (B) 10 gauge curved knives provide a minimum of surface disturbance.

**Slit Seeding**

The optional Slit Seeder Attachment guides seed into open soil slits. The seed hoses can be easily switched for broadcast seeding or slit seeding. In both applications, the seed is shielded from the wind.



## Primary Seeder Specifications

Model Number	PS1572	PS25120
Hitch	Category 1	Category II, Quick Hitch Adaptable and Pull-Type
Overall Width (cm)	72" (183)	13' 6" (411.48) on End Wheel Model 10' 6" (320.04) on Front Wheel Mounted Model
Working Width (cm)	70-1/2" (179)	10' (304.8)
Overall Length (cm)	29" (74)	36" (91.4) on 3 Point; 144" (365.76) on Pull-Type
Overall Height (cm)	39" (99.45)	56-1/4" (143)
Machine Weight (3 Point) (kg)	1165 lbs (528)	2,850 lbs — 3-Point (1293)
Minimum Horsepower Required	25 HP (dependent on tractor lift capabilities)	40 HP/Pull-Type 60 HP/Lift
Maximum Horsepower Required	Category I tractor, 50 HP	Category II Tractor
Seedbox Construction	16 Gauge Front and Rear, 10 Gauge Endplates	14 Gauge All Welded
Seedbox Capacity	6 bushel	30 bushel
Small Seedbox Capacity (opt)	N/A	4 1/4 bushel
Acremeter	N/A	Standard
Output Range	.1 to 21 pounds per 1,000 square feet or 1 to 916 pounds per acre	Per 1,000 square feet: 1 to 26 pounds Per Acre: 5 to 1100 pounds
Front Roller	29 rings - 12" diameter 1-1/2" spindles w/sealed ball bearings	51 Rings - 15 5/8" Outside Diameter
Rear Roller	30 rings - 9 1/2" diameter	52 Rings - 11 3/8" Outside Diameter
Roller Spindles	1-1/2" front, 1" rear w/greaseable bearings	1-1/2" front, 1-1/2" rear w/greaseable bearings
Chain	#40 with spring loaded idler	#40 with Adjustable Idler
Transport Tires	N/A	9.5L x 15" x 8 ply Ribbed Tire with Hydraulic Control and Mechanical Locks
Seed Level Indicator	N/A	Standard
Seed Cups	10 each	16 each
Options	Track Removers — Standard, two each	Tire Track Removers Seedbox Agitator Small Grass Seeds Box Walkboard

## PS2096 Primary Seeder Specifications

Model Number	PSN2096 main box has Native Grass seed cups PS2096 main box has Regular seed cups
Hitch	Cat. 2 & 3, quick-hitch adaptable
Overall Width	8' 11"
Working Width	8' 6"
Height	45"
Overall Length	42 1/2" (PSN2096 and both smaller boxes)
Empty Weight	2320 lbs. (PSN2096 and both smaller boxes)
Minimum HP Required	See tractor's 3-point hitch capacity
Maximum HP	Cat. 3 Tractor
Main Seedbox Construction	All-welded, 14 gauge steel
Main Seedbox Capacity	8 bushel
Second Seedbox Capacity	4.8 bushel
Small Seeds Box Capacity	2 bushel
Agitators	Main box, second seed box
Front Roller	12" diameter – 42 Rings
Rear Roller	9 1/2" diameter – 43 Rings
No. of Seed Cups	14
Track Removers	Set of two, standard

### PULL HITCH ASSEMBLY

Hook-up	Quick Attach Type Hook-up
Tires 2 ea. 9.5L x 15 12 Ply Tires	
Cylinder	14" Cylinder with Hoses
Wheel Base	69" Center to Center
Length	95"
Tongue Jack	Standard

## All-Purpose Seeder Specifications

Model Number	APS1548	APS1560	APS1572	APS1586
Hitch	Category 1	Cat. 1	Category 1	Cat. 1 & 2
Overall Width (cm)	60" (152)	72" (183)	81" (206)	98" (249)
Working Width (cm)	50" (127)	60" (152)	72" (183)	86" (218)
Overall Length (cm)	49" (124)	51" (130)	52" (132)	55 1/2" (141)
Overall Height (cm)	42-1/2" (108)	42-1/2" (108)	42-1/2" (108)	42-1/2" (108)
Machine Weight (kg)	700 lbs. (318)	*1,065 (483)	1,046 lbs. (474)	*1,560 (708)
Minimum Horsepower Required	25 HP (dependent on tractor's lift capabilities)			
Maximum Horsepower	55 HP	55 HP	55 HP	80 HP
Seedbox Capacity	4 bushel	5 bushel	6 bushel	7.2 bushel
Output Range	.1 to 21 pounds per 1,000 square feet or 1 to 916 pounds per acre			
Front Roller - 2	8" diameter 1" spindles w/greaseable ball bearings			
Rear Roller	8" diameter w/studs or 12" cast packer wheels			
Chain	#40 with spring loaded idler			
Seed Cups	7	8	10	12
Front Roller Angling	Up to 20 degrees			
Roller Studs	1/2" to 2" Heat treated steel Replaceable			

\*60" and 86" models with rear cast packer wheels

## Plot Ranger Specifications

Model Number	FPS48	Optional Spin Spreader and Packer
Hitch Type	Pull type with combo 2" ball hitch and clevis hitch	Packer Roller Width
Base Unit Weight	370 lbs	40 - 7/16"
Base Unit Weight with Spin Spreader and Packer	510 lbs	Spreading Device
Disc Cutting Width	40" - 50"	Spin Spreader, 12V, Electrically operated
Minimum ATV Size	350 cc	Spreader Hopper Loading Height
Minimum Tractor / Vehicle Size	17 hp	42" off Ground
Height	52"	Spreader Hopper Volume/Capacity
Length	104"	2 cu. ft. (15 gallons) (100 lbs. Maximum capacity weight)
Width	54"	Spin Spreader Deflector
Weight Load on Each Disc	46 lbs	Diverts seed to smaller spreading width. Seed rate charts calculated at 48"
Number of Disc Blades	8	Small Seed
Disc Blade Size & Type	16" Notched	Restrictor Restricts small seed for smaller distribution levels.
Blade Spacing	7 1/2"	
Transport / Gauging Tires	13" Diameter 4 Ply Tubeless	
Bearing Hanger	3/8" Plate	
Bearing Type, 2 per Gang	Self Aligning, Sealed Bearing	
Gang Tube	3" x 2"	
Gang Axle	1" Square High Carbon Steel	
Disc Angle	Front Gang: 0, 7, 14 & 21 Degrees Rear Gang: 0, 7, 14 & 21 Degrees	
Frame Construction	2" x 2" Square Tubular Design	
Lifting Device	Electric Actuator, 12 volt or Ratchet Jack	
Rear Axle Pivot Type	Greaseable	
Rear Roller Bearing	Greaseable	

## Overseeder Specifications

Model Number	OS1548	OS1572
Hitch	Category I: with 10" Offset	Category I: Centered
Seeding Width (broadcast) (cm)	51" (129)	72" (183)
Overall Width (with gauge wheels) (cm)	78" (198)	99" (251)
Overall Width (with rear roller drive) (cm)	60" (152)	81" (206)
Approx. Weight — (gauge whl drive) (kg)	1290 lbs.(585)	1645 lbs.(746)
Overall Length (cm)	51.25" (130.1)	51.25" (130.1)
HP Rating — Engine (Max.)	60 HP	60 HP
Knives — 5 per flange	Standard or curved 115 on 2"; 80 on 3"	Standard or curved 170 on 2"; 115 on 3"
Rotor (cm)	18" dia. (45.72)	18" dia. (45.72)
Productivity (3 1/2 mph)	1.5 acres/hr (broadcast)	2 acres/hr (broadcast)
Depth Adjustment (mm)	0" - 1 1/2" (0-38)	
Blade Spacing (mm)	2" or 3" (50-75)	
Gearbox	540 RPM Cast Iron Housing	
Seedbox	4 Bushel; Paddle Agitator	6 Bushel; Paddle Agitator
Small Seedbox Capacity	.95 Bushel	1.36 Bushel
Seed Cups and Drive	7 Seed cups	10 Seed cups
Packer Wheels (mm)	Powder Metal Flutes with Individual Cleanout Handles, RH Gauge Wheel Drive or Rear Roller Drive 12" Cast Iron with Corrugated Scraper	
Roller Chain	#80, Adjustable, fully enclosed in oil bath	#100, Adjustable, fully enclosed in oil bath
Driveline	Fully Shielded, Heavy-Duty, Slip clutch Standard	
Gauge Wheels	18" x 8.50" x 8" Turf Tires -4 ply	
Slit-Seeder Weight (kg)	2" knife spacing = 38 lbs. (17.24) 3" knife spacing = 36 lbs. (16.33)	2" knife spacing = 56 lbs. (25.4) 3" knife spacing = 54 lbs. (24.5)
Approximate Seeding Rates*	Bentgrass 7# to 360# per acre (8 to 403 kg per ha) Turf type Fescue 1# to 219# per acre (4 to 246 kg per ha)	Bentgrass 10# to 514# per acre (11 to 576 kg per ha) Turf type Fescue 5# to 313# per acre (6 to 351 kg per ha)

\*Rates are available on most grass types.

\* See dealer for complete warranty information.

Models may or may not include options.  
Design and specifications subject to change without notice.

# THE LAND PRIDE COMMITMENT

**Stability.** Since our inception in 1986, Land Pride, A Division of Great Plains Mfg., Inc., has been a leader in grounds maintenance equipment throughout North America. Land Pride is now a leading manufacturer of tractor mounted and skid steer mounted implements including Rotary Tillers, Grooming Mowers, Seeders, Rotary Cutters, Rear Blades, Box Scrapers and Landscape Rakes in the United States.

**Reliability.** At Land Pride, we have earned the reputation of standing behind our products. We know how important it is for you to feel confident in purchasing products that are reliable, and to know that our support is available when assistance is needed.

**Pride.** We are proud to be a part of Central Kansas. Our employees come

from rural areas and agricultural backgrounds; they know and understand the products they build for you. Our commitment to our employees and to our customers shows through the quality products we provide.

**Commitment.** The extra steps we take to deliver our products is another sign of our commitment to you. Packaging provides added protection and efficient shipping procedures to ensure lower freight costs.

**Service.** You can rely on Land Pride's service after the sale. With Genuine Replacement Parts and a national and international network of dealers located in every state, you are assured that parts and service are available when and where you need them.

**Safety.** Our products are all designed and manufactured in compliance with the latest industry and government standards.

**Support.** Up-to-date literature, easy to read Operator's and Parts Manuals, and our informative web site are all available to assist you in making your next Land Pride purchase!

**Great Plains Trucking.** Our in-house trucking company has over 70 trucks and delivers our products throughout the United States and Canada.

**Growth.** With four plant locations, 24 product groups and several hundred models, Land Pride continues to expand and grow to meet the challenges of aggressive competition and a fast moving industry.

## Corporate Office - Salina, KS

Abilene, KS

All-Flex Mowers, Zero Turn Mowers, Rotary Cutters, Rotary Tillers, Grooming Mowers, Post Hole Diggers, Flail Mowers and Fertilizer Spreaders

Kipp, KS

Rear Blades, Landscape Rakes, Box Scrapers, Scarifiers, Core Aerators, Disc Harrows, Plot Ranger, Quick-Hitches, Pallet Forks, Seed Bed Roller, Drag Harrow, Grading Scrapers, Straw Crimper and Ditchers





Lucas, KS

Multi-Spindle Rotary Cutters, Parallel Arm Rotary Cutters, Primary Seeders, Overseeders, Soil Pulverizers, Powered Rakes

Enterprise, KS — Utility Vehicles

Need More **INFORMATION?**

See our other catalogs for further product details and specifications.



A Division of Great Plains Mfg., Inc.  
 1525 E. North St. • P.O. Box 5060  
 Salina, Kansas 67401  
 Visit our dealer locator at [landpride.com](http://landpride.com)