



Compact Line - Andex 713 T -

Position one double swath

- Working width 12.50 m

Position one single swath

- Working width 6.60 m

Position two single swaths

- Working width 7.10 m
- f.i. operating in heavy crop





Compact Line - Andex 713 T -

Transport width only 3.00 / 2.45 m



Detachable tine arms standard

Double sided wide angled PTO shaft as standard

Each rotor is independently protected via a slip clutch

- in case of blockage excellent protection

Hydraulically operated swath board standard (lifting and lowering)



Compact Line	Single rotor	653T-713T	633-703-753	Pro Line	383-423-463	773-843	1503
--------------	--------------	-----------	-------------	----------	-------------	---------	------



Compact Line - Andex 713 T -

The change from transport to working position and back, or the adaptation to different working conditions can be easily done from the tractor's seat.

Same for the change from one swath to two swath position.

Excellent manoeuvrability especially when backing up the machine





Compact Line - Andex 713 T -

Unique feature!!!! – Patent!!!!

The machine can be moved to and operated on the left or right hand side of the tractor.

⇒ For raking along fences and creeks and under trees

⇒ For avoiding to drive on existing swathes or unraked hay

⇒ For improved track following on hillsides and slopes





Compact Line - Andex 713 T -

Maximum versatility

The rake is equipped with different wheel/axle options:

⇒ 18" Tandem axles on the front rotor



⇒ 18" Single axles plus additional guiding wheels on the rear rotor



⇒ 18" Guiding wheel on the draw bar

⇒ Optionally additional 18" Tandem axles for rear rotor available






Compact Line - Andex 653 T / 713 T System TerraLink -



The front part (A) and the back part (B) of the main frame are slotted on the down side.



Animation An dex 653 T / 713 T



Maintenance free system no pivoting joints to wear out

Automatic rotor suspension ensuring smooth running

Compact Line

Single rotor

653T-713T

633-703-753

Pro Line

383-423-463

773-843

1503